



深圳市美思康电子有限公司  
SHENZHEN MAXCOM ELECTRONIC CO.,LTD

---

Maxcom Hematology

-----Focus • Professional

Automatic 3 Part differential hematology analyzer

National initiative

Exclusive product



---

地址：深圳市南山区科技园北区新西路 11 号活力宝大厦西座 7 楼

Add: 7/F, West Block, Huolibao Building, No. 11 Xinxu Road, HI-Tech park North Area, Nanshan District Shenzhen, China

邮箱 Email: sales@maxcomchina.com

电话 Tel: +86-0755-26504439

传真 Fax: +86-0755-26637002

邮编 Post Code: 518057

## MC-6600 Hematology Analyzer

Safety	Cap Piercing sampler
Fast	60 samples per hour
Flow-type	without operator intervention
Simple	Easy to use
Environment	Non-cyanide
Accurate	Reliable impedance technology and sample system
Smart	Maxcom fully automatic sampling system
Economic	Low cost per test
Initiative	Updated for 3-part diff hematology analyzer
Microsample	a little sample, wide range of test

Intelligentized Floater volume metering



In volume metering, MC-6600 adopts two-combined technology, i.e. floater metering and time monitor, thus to secure the accuracy of measurement and calculation

## Auto loading



Auto loader with 30 samples capacity, highly automaticity, More safety for the operator, and improve the laboratory efficiency obviously.

## Auto mixing and cap piercing



Auto mixing and cap piercing to avoid biohazard. To secure the safety of the operator.

Specification:

Testing speed: 60 samples/hour

Sampler capacity: 30 samples

Operation mode: optional, batch, emergency

Principle: Electrical impedance for counting and photometric method for HGB

Testing mode: Open (whole blood, Prediluted); Close ( whole blood)

Sample volume: Sampler whole blood: 10ul

Manual whole blood: 10ul

Prediluted 20ul

Display: 10.4 inches large LCD

Operating mode: Touch screen, optional keypad and mouse

Operating system: Windows CE system

Sample identification: automatic coding, internal bar code reader

Quality control: L-J

Alert: Abnormal warning, failure warning, auto-diagnosis, self-maintenance

Optional accessory: Automatic sampling system

Connector: 4 USB connectors, 1 parallel port, 1 serial port

Power: 220V, 50Hz

Dimension: 533mm(L)\*684mm(W)\*571mm(H)

Auto-loader dimension: 350mm\*350mm

Weight: 35KG

---

地址: 深圳市南山区科技园北区新西路 11 号活力宝大厦西座 7 楼

Add: 7/F, West Block, Huolibao Building, No.11 Xinxu Road, HI-Tech park North Area, Nanshan District Shenzhen, China

邮箱 Email: sales@maxcomchina.com

电话 Tel: +86-0755-26504439

传真 Fax: +86-0755-26637002

邮编 Post Code: 518057